



INVESTOR IN PEOPLE

The Patent Office  
 Concept House  
 Cardiff Road  
 Newport  
 South Wales  
 NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

BEST AVAILABLE COPY

REC'D 04 OCT 2004

WIPO

PCT

Signed

Dated 21 September 2004

**PRIORITY  
 DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
 COMPLIANCE WITH RULE 17.1(a) OR (b)

22AUG03 E932381-1 D02813  
P01/7700 0.00-0319777.9

## Patents Form 1/77

Patents Act 1977  
(Rule 16)THE PATENT OFFICE  
DL  
22 AUG 2003  
RECEIVED BY FAX

1/77

## Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

22 AUG 2003

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1.	Your Reference	P58940F(GB)		
2.	Patent Application number (The Patent Office will fill in this part)	0319777.9		
3.	Full name, address and postcode of the or each applicant (underline all surnames)	ABS SYSTEMS INC PO Box 212 Hadsley House Lefebvre Street St Peter Port Guernsey  Channel Islands		
	Patents ADP Number (if you know it)	08698417001		
	If the applicant is a corporate body, give the country/state of its incorporation	Channel Islands		
4.	Title of the invention	AIR TRAVEL SYSTEM		
5.	Name of your agent (if you have one)	FRY HEATH & SPENCE LLP		
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	The Gables Massetts Road Horley Surrey RH6 7DQ United Kingdom		
	Patents ADP Number (if you know it)	08459554001		
6.	Priority: Complete this section if you are declaring priority from one or more earlier patent applications filed in the last 12 months.	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7.	Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f).	Number of earlier application	Date of filing (day / month / year)	
8.	Is a Patents Form 7/77 (Statement of Yes inventorship and of right to grant of a patent) required in support of this request?			

BEST AVAILABLE COPY

## Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form 0

Description 10

Claim(s) 6

Abstract 0

Drawing(s) 8

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents form 9/77)

Request for substantive examination (Patents form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

Fry Heath Spence

22 August 2003

12. Name and daytime telephone number of person to contact in the United Kingdom Alan V Fry - 01293 776880

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you filing or applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under sections 8(3), 12(6) and 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should complete part 6 with the priority details.

## AIR TRAVEL SYSTEM

This invention relates to an improved air travel system.

The air travel business has for a number of years been seeking to improve passenger safety at airports and during flights and to provide enhanced services particularly in the area of speedier and less stressful check-in procedures at airports.

To enhance safety, there have been a number of proposals which seek to ensure that all luggage is thoroughly checked before being loaded into an aircraft hold. Typical of these are the luggage handling proposals disclosed in US Patent Applications 2002/0176531, 2002/0176532 and 2002/0186862. Each of these documents describes a system for screening passenger luggage or packages. Screening of luggage is an important procedure to minimise the risk of contraband or explosive devices being unknowingly carried by aircraft. However, luggage screening at airports immediately prior to flights inevitably creates delays to passengers seeking to move to exit gates. Similar delays occur at check-in desks where items of luggage need to be recorded, sorted and weighed with consequent long passenger queues at busy times. Also, the mere presence of a multiplicity of cases and other items of luggage being transported by hand and on trolleys by passengers before check-in can cause overcrowding with much consequent frustration to the travelling public.

On a very small scale a number of airlines operate a luggage collection system for return journey passengers from selected hotels, particularly in holiday resorts. These offer the advantages to passengers of completing an initial check-in procedure remote from the respective airport and having items of luggage delivered direct to the airport by a

BEST AVAILABLE COPY

carrier nominated by the airline. Such a system operates only for return flights and is only operated on a very select and rare basis.

The present invention sets out to provide an improved air travel system which overcomes, or at least alleviates, many of the problems discussed above.

In one aspect, the invention provides an air travel system in which pre-flight check-in of passengers and luggage items are conducted at passenger confirmed addresses remote from the airport of departure, all relevant luggage items being collected during the course of the pre-flight check-in and transported in secure vehicles to the airport of departure for security checks to be made, each passenger for whom luggage items are collected receiving a preliminary boarding pass including *inter alia* flight details, the preliminary boarding pass being exchanged with a confirmed boarding pass airside of the airport of departure.

In another aspect, the invention provides an air travel system in which a representative of the system operator meets with flight passengers at locations remote from the airport of departure to complete *inter alia* identity and security checks and to collect all items of luggage other than hand luggage for secure transportation to the airport of departure by the system operator, each item of luggage being tagged to show *inter alia* the identity of the passenger and the passenger being provided with a preliminary boarding pass which includes *inter alia* personal details of the passenger and which is exchanged airside at the airport of departure with a confirmed boarding pass.

In further aspect, the invention provides an air travel system having the following sequential steps:

- (i) meeting with a passenger holding a flight reservation and ticket confirmation prior to the flight at a confirmed address of the

BEST AVAILABLE COPY

- passenger remote from the airport to attend to pre-flight procedures;
- (ii) confirming at that meeting the identity of the passenger by reference to photo ID evidence;
  - (iii) confirming details of the passenger's ticket confirmation;
  - (iv) pursuing all required document and security profiling procedures;
  - (v) collecting all items of luggage (other than hand luggage) from the passenger;
  - (vi) issuing a preliminary boarding pass;
  - (vii) providing the passenger with a receipt for items of luggage collected; and
  - (viii) transporting the luggage in a secure manner to the airport of departure for further checking prior to loading onto the aircraft on which the passenger is travelling.

By "photo ID" is meant an official document which includes a photograph of the passenger. Typically, this will comprise a passport or driving licence.

In a still further aspect, the invention provides an air travel system in which a representative of the system operator meets with flight passengers at locations remote from the airport of departure to collect all items of luggage other than hand luggage for secure transportation to the airport of departure, each luggage item being tagged in the presence of each passenger with the respective passenger receiving from the operative a receipt for each luggage item.

A passenger's items of luggage may be collected from the airport of destination by an operative and taken to an agreed address for checking and hand-over to the passenger.

The invention will now be described, by way of example only, with reference to the accompanying drawings, in which:-

BEST AVAILABLE COPY

Figures 1 to 7 are flow charts illustrating various procedures adopted in carrying out a system in accordance with the invention; and

Figure 8 illustrates a passenger verification tag (ABS tag) in accordance with this invention.

Air travel systems in accordance with the invention include a sequence of procedures which, together, provide improved check-in facilities for passengers. Briefly, a system in accordance with the invention includes four principal stages, these comprising taking bookings from airline passengers, verifying passenger details, routing vehicles to passenger addresses to conduct pre-flight checks and to collect items of passenger luggage and tracking luggage items in transit. These procedures will be described in more detail below.

When a booking is received from an airline passenger holding a ticket confirmation issued by the respective airline, a date and time is agreed with the passenger (typically 24 hours before departure) for collection of luggage items and completion of check-in and security procedures at a confirmed address of the passenger. Typically this will be the passenger's address which appears on the ticket confirmation issued by the respective airline and may, for example, be the address of the home, hotel or office of the passenger. The passenger is advised that photographic identification ("photo ID") will be required for check-in purposes. The form of photo ID used will be the photo ID that is used throughout the passenger's journey so, for example, on an international journey outside acceptable "domestic blocks" such as the Schengen area of the EU or the US/Canada the requirement will be for the passenger's passport.

Before collection of luggage items the passenger is contacted (typically the day before) to confirm collection details and seat selection. A preliminary boarding pass is prepared at this time.

BEST AVAILABLE COPY

Collection of luggage items and completion of check-in and security procedures is carried out by a trained operative using a vehicle having a secure luggage loading bay. The operative may also have access to electronic communication with other operatives at a control centre (the "Control Centre"). Prior to arrival, checks may be carried out to confirm that the address given corresponds with a known address of the passenger. On arrival at the address, the operative may notify the Control Centre and the relevant vehicle status may be recorded by the Control Centre as "pick up".

The various steps to be followed on arrival are set out in Figure 1. All documents necessary for the check-in procedure are removed from the vehicle together with luggage weighing and handling equipment. The vehicle is then locked and the vehicle alarm set. The documents are conveniently retained in a wallet and typically include the pre-printed preliminary boarding pass, required number of luggage, tags and dockets:

Two species of tags are employed, one being an IATA standard interline departure control system (DCS) tag and the other being a passenger verification tag issued by the system operator. The latter tag is three-part prefaced by the letters "ABS" in some of the drawings and is referred to as such below. The ABS tag is illustrated in Figure 8 and will be described in more detail below.

In the event that the passenger is not at the address, the operative returns to his vehicle and notifies the Control Centre (if appropriate) who will initiate a customer "no-show" procedure. The procedures to be followed in this situation are set out in Figure 2.

On gaining entry to the passenger's premises the procedures set out in Figure 3 are followed. The check-in procedures conducted by the operative generally replicates those which are presently conducted at the airport of departure and are designed to ensure that the passenger has

BEST AVAILABLE COPY



the correct travel documentation, i.e. that the passport or other photo ID is valid and that the ticket details are correct. As will be seen from Figure 3, to begin the procedure the operative requests sight of the passenger's passport or alternative photo ID and the ticket/e-ticket confirmation received from the airline to confirm the identity of the passenger and to check that all details on the travel documents match the details on the pre-printed preliminary boarding pass to be issued. This preliminary boarding pass is to be exchanged with a confirmed boarding pass when the passenger is airside at the airport of departure.

If the details shown on the preliminary boarding pass do not correspond with the passenger's requests, the operative advises the passenger to contact the airline.

As for conventional check-in procedures, the operative will ask specifically about prohibited items typically using the IATA standard checklist. These checks are designed to ensure that the passenger is not carrying any item which is prohibited by law or by international industry standards. The operative may also perform further document checks if required to do so by the regulatory agencies.

If for any reason a passenger fails to answer the required security profiling satisfactorily, the pick-up may be terminated. If security profiling is satisfactory, the passenger's luggage is weighed. If any item is overweight, and the passenger refuses to reduce the weight to allowable levels, then the passenger will be referred to the regular airline check-in and the pick-up aborted.

The IATA standard DCS tag is attached to the bag and the baggage check portion is attached to the customer's flight ticket-e-ticket confirmation. The customer is asked (where required) to sign the declaration on the three-part ABS bag tag. The operator retains part 1, the passenger retains as his receipt part 2 and part 3, which is tamper

BEST AVAILABLE COPY

evident, is attached to the bag in such a way as to seal the bag. As will be seen from Figure 8, the ABS tag typically includes the passenger's name, the airline, security question requirements, the passenger's signature, flight details and date, number of luggage items and profiling failsafe check. A tamper evident label matching the receipt given to the passenger is attached to the passenger's passport or other photo ID. This label has a "tamper evident" status, that is to say, any attempt to remove or change the label will be immediately recognised when the label is inspected. Finally, a preliminary boarding pass as described above is given to the passenger.

On returning to the vehicle, the operative conducts the procedures shown in Figure 4. These procedures are self-evident from Figure 4.

Following pre-flight collection of all items of luggage (apart from hand luggage) from a number of passengers, the operative returns to a secure depot normally in or alongside the airport of departure for sortation and consolidation of the luggage items. The tags of each luggage item are checked and the luggage weight verified against the weight recorded during the initial check-in procedures. Each item of luggage is unloaded from the secure loading bay of the vehicle and is scanned with a bar code scanner. The system responds by indicating to which of several destinations each luggage item is to be sorted.

This cycle is illustrated in Figure 5 and is repeated until all items of luggage have been loaded onto baggage carts and these have been placed in the load area to await delivery.

Each luggage item is then transferred to its airport of departure for EDS screening by authorised operatives. Systems in accordance with the invention provide for a depot to be equipped with EDS equipment and for depot screening by authorised personnel in the event that volumes dictate that this is more practical than on airport screening.

BEST AVAILABLE COPY

The steps taken when luggage items are transferred to the airport of departure are also shown in Figure 5. On handover by the system operator, all luggage items are subjected to all appropriate checks including scanning and screening before being sorted for eventual loading onto the aircraft that the passenger is travelling on. Selected or suspect items of luggage may be taken to a departure gate to await the respective passenger and then subjected to hand searching prior to loading onto the flight.

By virtue of the procedures discussed above, a passenger arriving at the airport of departure goes directly to the security checkpoint with his preliminary boarding pass and proceeds airside.

At the departure gate (or other approved airside location) the passenger hands over his/her preliminary boarding pass and baggage receipts, passport or photo ID and tickets. The gate check-in procedure is illustrated in Figure 6. Essentially, the airline agent at the departure gate checks the photo ID of the passenger, that the reference matches that passenger name on the receipts and that the condition of the tamper evident label is as it should be.

If the integrity of the tamper evident label has been compromised, the passenger is given "selectee" status and is reunited with his/her bag(s) for security inspection. If the passenger's bags were "selected" as part of the formal screening process, the PNR will have been flagged and the bags held at the gate to be reunited with the passenger for inspection. The confirmed boarding pass is not issued until these inspections have been satisfactorily concluded.

If the tamper evident label has not been compromised and the bags have not been "selected", the preliminary boarding pass is exchanged for a standard airline boarding pass. The passenger then boards as normal.

BEST AVAILABLE COPY

As indicated previously, the travel system may also provide for delivery of luggage items to passengers on arrival at the airport of destination. The steps undertaken are shown in Figure 7. As will be seen from Figure 7, the condition of luggage received by the system operator from the airline is checked and those items found to be in a satisfactory condition are loaded onto a secure vehicle for return to the respective passengers at agreed addresses remote from the airport. On arrival at the agreed delivery location the passenger shows to the operative the or each luggage receipt issued when the luggage was collected pre-flight. The relevant luggage is then removed from the vehicle and luggage items are released to the passenger.

In the event that the passenger is not at the agreed delivery location, the operative returns to the vehicle and proceeds to the next call.

Air travel systems in accordance with the invention provide a number of advantages, these including:

bag tags are attached to luggage items at locations remote from the airport and passengers are provided with receipts for these items;

required security questions are asked and a signed declaration is obtained from each passenger during the initial check-in remote from the airport;

items of luggage are recorded and checked for condition and weight during the initial off-airport check-in;

a passenger is issued with a preliminary boarding pass on conclusion of this off-airport check-in;

all relevant data is transferred to the airline departure control system by way of continuous real time updates before and up to flight departure;

luggage is moved in a secure way to the airport;

100% hold baggage screening can be performed off-peak without inconveniencing passengers;

BEST AVAILABLE COPY

exception handling is permitted within a non critical time window;  
a passenger is reconciled and matched with his/her luggage;  
airport peaks are flattened substantially and queues are consequently  
reduced;

passengers are relieved of the need to carry luggage items to the  
airport of departure and, probably, to take these luggage items to an  
agreed address at the airport of destination; and


airport crowding at airports is significantly reduced at peak periods.

It will be appreciated that the foregoing is merely exemplary of air  
travel systems in accordance with the invention and that modifications can  
readily be made thereto without departing from the true scope of the  
invention.

BEST AVAILABLE COPY

1/8


Figure 1



BEST AVAILABLE COPY

2/8


Figure 2



BEST AVAILABLE COPY

3/8

Figure 3




BEST AVAILABLE COPY



4/8


Figure 4



BEST AVAILABLE COPY

5/8


Figure 5



BEST AVAILABLE COPY

6/8


Figure 6



BEST AVAILABLE COPY

7/8

Figure 7



BEST AVAILABLE COPY

8/8

**ABS BAG LABEL**

Part 3 - Applied to bag  
(Tamper Evident)

Part 2 - Retained by  
passenger

Part 1 - Retained by  
operator

ABS

MR S SMITH

MNEDRF

Question 1  
Y/N

Question 2  
Y/N

Question 3  
Y/N

I certify that the answers  
given are true and correct

Signature

BA 293      2008

1 OF 2

19.9 kgs


PROHIBITED TO BE  
REUSED

NOT TO SCALE


Figure 8

PHOTO ID TAMPER  
EVIDENT LABEL

SAFE



TAMPERED  
- FAIL



BEST AVAILABLE COPY

00.00. 00 00:00

22 Aug '03 11:29

FAX:

BEST AVAILABLE COPY

PCT/GB2004/003589

